



# Technical Data Sheet

## EAD/EADI Air Duster

### Product description

**Electrolube's Air Duster** aerosols of compressed gas are designed for the safe removal of dust and airborne contamination from very delicate or inaccessible areas of electrical and electronic equipment. **Electrolube's Air Dusters** are non-flammable products. The range includes an **Invertible Airduster (EADI)** which is particularly useful for very intricate equipment or items which can not be moved for cleaning or maintenance.

### Typical properties

Colour:	Colourless
Density:	1.13 g/ml
Flash Point:	None
Boiling Point:	-26.2°C

### Directions for use

EAD should be used in a vertical position or at an angle of not greater than 60° to the vertical otherwise a freezing effect will result. If it is necessary to tilt the aerosol more than this, use the Invertible version (EADI) as listed below.

**Caution:** Do not use an **Air Duster** for prolonged blasts as the surface of the can will form frost..

### Packaging

<u>Description</u>	<u>Order Code</u>	<u>Shelf Life</u>
200ml Aerosol	EAD200D and S	48 months
400ml Aerosol	EAD400D and S	48 months
200ml Invertible Aerosol	EADI200D and S	48 months

#### **Copyright Electrolube 2010**

All information is given in good faith but without warranty. Properties are given as a guide only and should not be taken as a specification.

Electrolube cannot be held responsible for the performance of its products within any application determined by the customer, who must satisfy themselves as to the suitability of the product.